

Arno Witgert, Inh. Dipl.-Ing (FH) Michael Liebig e. K.

Safety Data Sheet (in compliance with Regulation (EC) 1907/2006, Regulation (EC) 1272/2008 and Regulation (EC) 453/2010)

CERAMIC BODIES

Version 1.0

Revision date: 11.11.2010

Printing date: 01.07.2016

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Ceramic bodies

REACH Registr. n°:

Exempted in accordance with Annex V.7

Synonyms:

Ceramic compound, Preparation, Kaolinitic clays, Plastic Clays, Ball Clays, Fine Clays

Trade names:

Steinzeug-Aufbau- und Kachelmasse Nr. 11 sf 40, weiß, stark fein schamottiert;

Steinzeug-Aufbau- und Kachelmasse Nr. 111 sf 40, weiß, stark fein schamottiert;

Steinzeug-Aufbaumasse Nr. 11 s, weiß, schamottiert;

Steinzeug-Aufbaumasse Nr. 111 s, weiß, schamottiert;

Steinzeug-Aufbau- und Kachelmasse Nr. 11 s 40, weiß, stark schamottiert ;

Steinzeug-Aufbau- und Kachelmasse Nr. 111 s 40, weiß, stark schamottiert

1.2 Relevant identified uses of the substance or mixture and uses advised against

Main applications - non-exhaustive list: Ceramics (sanitaryware, floor tiles, wall tiles, roof tiles, tiles; porcelain, tableware, refractories, etc.)

Enamels

Glass

Fillers

Deposit sealing

Paint

Plastic & Rubber

Adhesives and Sealant

Building material & Cement

Fertilisers & Agricultural products

1.3 Details of the supplier of the safety data sheet

Arno Witgert, Inh. Dipl.-Ing. (FH) Michael Liebig e. K.

OT Wahnscheid, 56414 Herschbach, Germany

Phone No. 0049 (0)6435/9223-0

Fax No. 0049 (0)6435/9223-33

E-mail of responsible person for SDS: m_liebig@witgert.de

1.4 Emergency telephone number

Emergency telephone number: 0049 (0)6435/9223-0

Available outside office hours?

Yes/No

2 SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

This product does not meet the criteria for classification as hazardous as defined in the Regulation EC 1272/2008 and in Directive 67/548/EEC.

Depending on the type of handling and use (e.g. grinding, drying), airborne respirable crystalline silica (quartz - cristobalite) may be generated. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness. Occupational exposure to respirable crystalline silica dust should be monitored and controlled. This product should be handled with care to avoid dust generation.

Regulation EC 1272/2008:
No classification.

Classification EU (67/548/EEC) :
No classification

2.2 Label elements

None.

2.3 Other hazards

This product is an inorganic substance and does not meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Main constituent

Kaolinitic clay
Amount:
100%
EINECS:
310-127-6
CAS:
999999-99-4

3.2 Impurities

May contain mineral or chemical additives.

4. SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Eye contact

Rinse with copious quantities of water and seek medical attention if irritation persists.

Inhalation

Movement of the exposed individual from the area to fresh air is recommended.

Ingestion

No first-aid measure required.

Skin contact

No special first aid measures necessary.

4.2 Most important symptoms and effects, both acute and delayed

No acute and delayed symptoms and effects are observed.

4.3 Indication of any immediate medical attention and special treatment needed

No specific actions are required.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

No specific extinguishing media is needed.

5.2 Special hazards arising from the substance or mixture

Non combustible. No hazardous thermal decomposition.

5.3 Advice for firefighters

No specific fire-fighting protection is required.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid airborne dust generation, wear personal protective equipment in compliance with national legislation.

6.2 Environmental precautions

No special requirements.

6.3 Methods and material for containment and cleaning up

Avoid dry sweeping and use water spraying or vacuum cleaning systems to prevent airborne dust generation. Wear personal protective equipment in compliance with national legislation.

6.4 Reference to other sections

See sections 8 and 13.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

- 7.1.1. Avoid airborne dust generation. Provide appropriate exhaust ventilation at places where airborne dust is generated. In case of insufficient ventilation, wear suitable respiratory protective equipment. Handle packaged products carefully to prevent accidental bursting. If you require advice on safe handling techniques, please contact your supplier or check the Good Practice Guide referred to in section 16.
- 7.1.2. Do not to eat, drink and smoke in work areas; wash hands after use; remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/Precautions

Minimise airborne dust generation and prevent wind dispersal during loading and unloading. Keep containers closed and store packaged products so as to prevent accidental bursting.

7.3 Specific end use(s)

If you require advice on specific uses, please contact your supplier or check the Good Practice Guide referred to in section 16.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Follow workplace regulatory exposure limits for all types of airborne dust (e.g. total dust, respirable dust, respirable crystalline silica dust).

There is no OEL (Occupational Exposure Limit) for respirable crystalline silica dust in Germany actually. For the equivalent limits in other countries, please consult a competent occupational hygienist or the local regulatory authority.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Minimise airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organisational measures, e.g. by isolating personnel from dusty areas. Remove and wash soiled clothing.

8.2.2 Individual protection measures, such as personal protective equipment

(a) Eye/face protection

Wear safety glasses with side-shields in circumstances where there is a risk of penetrative eye injuries.

(b) Skin protection

No specific requirement. For hands, see below. Appropriate protection (e.g. protective clothing, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin.

Hand protection

Appropriate protection (e.g. gloves, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin. Wash hands at the end of each work session.

(c) Respiratory protection

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the requirements of European or national legislation.

8.2.3 Environmental exposure controls

Avoid wind dispersal.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- (a) Appearance
solid (bulk, lumps, pellets, granulate or powder)
Color: grey-white
- (b) Odour
odourless
- (c) Odour threshold
Not relevant
- (d) pH
pH (100 g/l water at 20°C)
3 -- 7
- (e) Melting point/freezing point
Not available
- (m) Relative density
0.7 - 2.6 g/cm³
- (n) Solubility(ies)
Solubility in water
negligible
Solubility in hydrofluoric acid
Yes

9.2 Other information

no other information

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Inert, not reactive.

10.2 Chemical stability

Chemically stable.

10.3 Possibility of hazardous reactions

No hazardous reactions.

10.4 Conditions to avoid

Not relevant

10.5 Incompatible materials

No particular incompatibility.

10.6 Hazardous decomposition products

Not relevant

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

- (a) Acute toxicity
Based on available data, the classification criteria are not met.
- (b) Skin corrosion/irritation
Based on available data, the classification criteria are not met
- (c) Serious eye damage/irritation
Based on available data, the classification criteria are not met
- (d) Respiratory or skin sensitisation
Based on available data, the classification criteria are not met
- (e) Germ cell mutagenicity
Based on available data, the classification criteria are not met
- (f) Carcinogenicity
Based on available data, the classification criteria are not met
- (g) Reproductive toxicity
Based on available data, the classification criteria are not met
- (h) STOT-single exposure
Based on available data, the classification criteria are not met
- (i) STOT-repeated exposure
Based on available data, the classification criteria are not met
- (j) Aspiration hazard
Based on available data, the classification criteria are not met.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not relevant

12.2. Persistence and degradability

Not relevant

12.3. Bioaccumulative potential

Not relevant

12.4. Mobility in soil

Negligible

12.5. Results of PBT and vPvB assessment

Not relevant

12.6. Other adverse effects

No specific adverse effects known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste from residues/unused products

Where possible, recycling is preferable to disposal. Can be disposed of in compliance with local regulations.

Packaging

Dust formation from residues in packaging should be avoided and suitable worker protection assured.

Store used packaging in enclosed receptacles.

Recycling and disposal of packaging should be carried out in compliance with local regulations.

The re-use of packaging is not recommended. Recycling and disposal of packaging should be carried out by an authorised waste management company.

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number

Not relevant

14.2 UN proper shipping name

Not relevant

14.3 Transport hazard class(es)

ADR: Not classified

IMDG: Not classified

ICAO/IATA: Not classified

RID: Not classified

14.4 Packing group

Not relevant

14.5 Environmental hazards

Not relevant

14.6 Special precautions for user

No special precautions.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International legislation/requirements:

None.

15.2 Chemical safety assessment

Exempted from REACH Registration in accordance with Annex V.7.

16. SECTION 16: OTHER INFORMATION

Indication of the changes made to the previous version of the SDS

None.

Third party materials

Insofar as materials not manufactured or supplied by Witgert are used in conjunction with, or instead of Witgert materials, it is the responsibility of the customer himself to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of Witgert's kaolinitic clay in conjunction with materials from another supplier.

Dioxins

The material may contain trace amounts (parts per trillion) of naturally occurring dioxin congeners (PCDD, PCDF) including TCDD. 2,3,7,8. TCDD has been classified as a known human carcinogen by the IARC in Monograph 69 (1997). If this material is used for food, feed, or cosmetic purposes, it is highly recommended to check whether it fulfils the requirements of relevant legislation, in particular with regards to dioxins content.

Liability

Such information is to the best of Witgert's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.

Training

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

Prolonged and/or excessive exposure to respirable dust may cause mucous membrane and respiratory irritation and lung injury with symptoms of shortness of breath and reduced pulmonary function. Inhalation of dust may cause irritation of nose, throat and respiratory passages.